

SECTION III FIRE FIGHTING PROCEDURES

FLASH POINT: N/A
AUTOIGNITION TEMPERATURE: N/A
UNUSUAL EXPLOSION HAZARDS: N/A
EXTINGUISHING MEDIA: Product is not flammable.
FIRE FIGHTING PROCEDURES: Firefighters should use a self-contained breathing apparatus.
LOWER EXPLOSIVE LIMIT: N/A
UPPER EXPLOSIVE LIMIT: N/A

SECTION IV ACCIDENTAL RELEASE PROCEDURES

Keep people away. Vacuum, sweep, or scoop up spilled powder and place in non-leaking, tightly sealed container(s). Avoid exposure to dust or inhalation of dust. Dispose of in accordance with local, county, state, and federal regulations.

SECTION V STORAGE AND HANDLING

Keep in a cool, dry place away from acids, moisture, and strong oxidants. Keep containers tightly sealed.

SECTION VI PERSONAL PROTECTION AND EXPOSURE CONTROLS

ENGINEERING CONTROLS: Be sure there is sufficient ventilation in area to prevent dust buildup in the air.

PERSONAL PROTECTIVE EQUIPMENT: All personnel must wear OSHA-NIOSH approved dust respirators

OTHER PROTECTIVE MEASURES: An eyewash station should be available.

GENERAL HYGIENE MEASURES: Avoid prolonged or repeated contact with skin; avoid inhalation of dust. Clean skin thoroughly after handling, especially before eating or drinking. Product can be removed with hand cleaners followed by washing thoroughly with soap and water. Be sure to remove contaminated clothing and shoes and wash/clean thoroughly before wearing again.

EXPOSURE GUIDELINES: Please refer to Section II.

SECTION VII PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:	Powder	VAPOR PRESSURE (mmHg):	N/A
APPEARANCE/COLOR/ODOR:	Various colors	VOC:	N/A
MELTING POINT/RANGE:	N/A	PERCENT VOLATILES:	N/A
SOLUBILITY IN WATER:	Negligible	BOILING POINT/RANGE:	N/A
pH:	N/A	SPECIFIC GRAVITY:	3
MOLECULAR WEIGHT:	N/A	VAPOR DENSITY (WATER = 1):	N/A

SECTION VIII STABILITY AND REACTIVITY

HAZARDOUS POLYMERIZATION: Will not occur
DECOMPOSITION HAZARD PRODUCTS: Reacts with acid to form CO₂.
CONDITIONS TO AVOID: None
MATERIALS TO AVOID: Organic and inorganic acids
STABILITY: Stable

SECTION IX DISPOSAL AND ECOLOGICAL INFORMATION

Seal tightly in non-leaking, properly labeled containers. Dispose of in accordance with all applicable local, county, state, and federal guidelines. Do not dispose of in streams, rivers, lakes, oceans, wells, or sewers.

SECTION X TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME: Dry Cement Color
DOT HAZARD CLASS ID NUMBER: N/A; Non-hazmat. Class 55.

SECTION XI REGULATORY INFORMATION

CARCINOGENICITY LISTS: Yes	STATE WARNING:	N/A
NTP: No	FEDERAL WARNING:	N/A
IARC MONOGRAPH: Yes	OSHA REGULATED:	Yes

IMPORTANT: Read this MSDS before use of or disposal of product. Be sure that all personnel who could be exposed to the product receive a copy of this information. This MSDS has been prepared in accordance with OSHA Hazard Communication Standard (29 CFR 1910.1200). The information contained within is accurate and reliable to the best of our knowledge. However safety standards and government regulations are subject to change. Therefore, we make no warranty, either expressed or implied, with respect to the completeness or continuing accuracy of the information contained in this MSDS. Also, the information in this MSDS pertains only to the specific material listed in Section I, and may not be accurate if this material is used in conjunction with other materials. It is entirely the consumer's responsibility to determine relevancy and completeness of this MSDS with regards to a specific use. Additional information may be applicable or pertinent to specific circumstances of use. Unknown hazards may exist, so use this material with caution. We assume no legal responsibility for use or reliance upon this data.